## 1. A needle comprising:

a shaft having a distal end defining a distal opening and having a longitudinal axis extending through the distal opening, the distal opening having a projected area that is smaller than a cross-sectional area of a section of the shaft proximal to the distal end of the shaft.

- 2. The needle of claim 1, wherein the distal end comprises opposing first and second surfaces and the second surface is indented towards the second surface.
- 3. The needle of claim 1, wherein the distal end of the shaft comprises at least one port on a side surface thereof.
- 4. The needle of claim 2, wherein the distal end terminates in a curvilinear distal tip.
- 5. The needle of claim 1, wherein the distal end of the shaft is tapered.
- 6. The needle of claim 1, wherein the distal end comprises opposing first and second extensions, the first and the second extensions being angled towards each other.
- 7. The needle of claim 6, wherein the second extension is longer than the first extension in a direction parallel to the longitudinal axis of the shaft.
- 8. The needle of claim 6, wherein the first and second extensions mutually define at least one opening offset from the longitudinal axis of the shaft.
- 9. The needle of claim 8, wherein the at least one opening is a pair of openings, each opening being offset from the longitudinal axis of the shaft.
- 10. The needle of claim 6, wherein the first and the second extensions each terminate in beveled distal tips.

- 11. A catheter having the needle of claim 1 at a distal portion thereof.
- 12. A syringe having the needle of claim 1 at a distal portion thereof.
- 13. A method of delivering a therapeutic agent to a target site of a body comprising: providing a drug delivery device containing a therapeutic agent and comprising the needle of claim 1 at a distal portion thereof; and delivering the therapeutic agent through the needle to a target site of a body.
- 14. The method of claim 13, wherein the drug delivery device is a catheter or a syringe.
- 15. The method of claim 13, wherein the target site is selected from a group consisting of the heart, lung, brain, liver, skeletal muscle, smooth muscle, kidney, bladder, intestines, stomach, pancreas, ovary, prostate and cartilage.
- 16. The method of claim 13, wherein delivering the therapeutic agent comprises directly delivering the therapeutic agent to the target site.
- 17. A method of accessing a drug delivery port comprising:

  providing a drug delivery device comprising the needle of claim 1 at a distal portion thereof; and

inserting the needle of the drug delivery device into a drug delivery port to access the drug delivery port.

- 18. The method of claim 17, wherein accessing the drug delivery port comprising introducing a therapeutic agent through the needle into the drug delivery port.
- 19. The method of claim 17, wherein the drug delivery device is a syringe or catheter.

- 20. The method of claim 17, wherein the drug delivery port comprises a septum, the needle of the drug delivery device piercing the septum to access the drug delivery port.
- 21. A method of delivering a therapeutic agent to a spinal column comprising:

  providing a drug delivery device containing a therapeutic agent and comprising
  the needle of claim 1 at a distal portion thereof; and
  introducing the therapeutic agent through the needle into a spinal column.
- 22. A method of collecting a fluid sample from a body comprising:

providing a drug delivery device comprising the needle of claim 1 at a distal portion thereof;

inserting the needle into a fluid containment site of a body; and creating a vacuum in the drug delivery device to collect a fluid sample from the fluid containment site of the body.

- 23. The method of claim 22, wherein the fluid sample comprises blood, amniotic fluid, serous fluid, or cerebrospinal fluid.
- 24. A method of directly delivering a therapeutic agent to a target site of a body comprising:

providing a drug delivery device comprising a Huber needle at a distal portion thereof;

positioning the needle adjacent to the target site; and directly delivering the therapeutic agent through the Huber needle to the target site, wherein the target site is not a spinal cord.

The method of claim 24, wherein the target site is an organ selected from a group consisting of the heart, lung, brain, liver, skeletal muscle, smooth muscle, kidney, bladder, intestines, stomach, pancreas, ovary, prostate and cartilage.

- 26. The method of claim 25, wherein the target site is the heart.
- 27. The method of claim 26, wherein the target site is the myocardium.
- 28. A method of directly delivering a therapeutic agent to a target site of a body comprising:

providing a drug delivery device comprising a pencil-point needle at a distal portion thereof;

positioning the needle adjacent to the target site; and directly delivering the therapeutic agent through the pencil-point needle to the target site, wherein the target site is not a spinal cord.

- 29. The method of claim 28, wherein the target site is an organ selected from a group consisting of the heart, lung, brain, liver, skeletal muscle, smooth muscle, kidney, bladder, intestines, stomach, pancreas, ovary, prostate and cartilage.
- 30. The method of claim 29, wherein the target site is the heart.
- 31. The method of claim 30, wherein the target site is the myocardium.